



**InFlataSaver**  
A simple system to fix all inflatable boats!

## Step #2 Measure

### 4 Valve Inflatable Boat

#### MEASUREMENT

and

ORDER

FORM

## Order Form at InFlataSaver.com

Name : \_\_\_\_\_ Customer #: \_\_\_\_\_

Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Email: \_\_\_\_\_

Manufacturer: \_\_\_\_\_

Year: \_\_\_\_\_ Model: \_\_\_\_\_ # of Valves \_\_\_\_\_

Length: \_\_\_\_\_ Beam: \_\_\_\_\_ Max Tube Diameter: \_\_\_\_\_

SPECIAL NOTES:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

|  |                            |                            |   |                            |                            |
|--|----------------------------|----------------------------|---|----------------------------|----------------------------|
| Type Bag: Thickness<br>HDR(8mil) ERT (4mil)<br>OCK(1Full Kit 8mil) | Measurement<br>from LINE 1 | Measurement<br>from LINE 2 | Type Bag: Thickness<br>HDR (8mil) ERT (4mil)<br>OCK(1Full Kit 8mil) | Measurement<br>from LINE 3 | Measurement<br>from LINE 4 |
|--|----------------------------|----------------------------|---|----------------------------|----------------------------|

\_\_\_\_\_ V \_\_\_\_\_

**InFlataSaver Model Number**

\_\_\_\_\_ V \_\_\_\_\_

**InFlataSaver Model Number**

|  |                            |                            |  |                            |                            |
|--|----------------------------|----------------------------|--|----------------------------|----------------------------|
| Type Bag: Thickness<br>HDR(8mil) ERT (4mil)<br>OCK(1Full Kit 8mil) | Measurement<br>from LINE 5 | Measurement<br>from LINE 6 | Type Bag: Thickness<br>HDR(8mil) ERT (4mil)<br>OCK(1Full Kit 8mil) | Measurement<br>from LINE 7 | Measurement<br>from LINE 8 |
|--|----------------------------|----------------------------|--|----------------------------|----------------------------|

\_\_\_\_\_ V \_\_\_\_\_

**InFlataSaver Model Number**

\_\_\_\_\_ V \_\_\_\_\_

**InFlataSaver Model Number**

**InFlataSaver**  
A simple system to fix all inflatable boats!

# Tools needed to Measure your 4 Valve V-Hull Inflatable Boat

**Required: Tape Measure, Masking  
Tape, Pen, 4 Valve Inflatable  
Boat Measurement Form**

Please watch our instructional videos explaining  
the process of measuring and installing the  
InFlataSaver system in your inflatable boat.


Please familiarize yourself with the necessary  
steps before measuring and installing this system  
in your inflatable boat and download this  
Inflatable Boat Measurement Form at

## InFlataSaver.com

**STEP 1:** Measure DIMENSION A from the aft port side valve (or new location) aft along the rub-rail to the rear of the port tube, round up this measurement to the next whole foot. Write this answer in the corresponding box and LINE 1 below.

**STEP 2:** If not previously done find and mark the baffle seam for reference.

**STEP 3:** The measurement of DIMENSION B is forward starting at the same valve location, then along the rub-rail or outer part of the tube to the baffle seam or tape mark. This measurement you will round up to the next whole foot, add 1 foot and write result in corresponding box and Line 2 below.



**LINE 1:** \_\_\_\_\_

\* Dimension in FEET from  
**MEASUREMENT A**  
rounded up to the nearest  
full foot.

**LINE 2:** \_\_\_\_\_


\* Dimension in FEET from  
**MEASUREMENT B** rounded  
up to the nearest full foot.  
+ add 1 foot if measurement is  
to a baffle.

**STEP 4:** The measurement of DIMENSION C is forward starting at the same baffle location from STEP 5, then along the rub-rail to the center of the valve location. This measurement you will round up to the next whole foot, add 1 foot and write result in corresponding box and Line 3 below.

**STEP 5:** The measurement of DIMENSION D is forward starting at the same valve location from STEP 4, then along the rub-rail or outer part of the tube to the centerline of the bow. This measurement you will round up to the next whole foot, add 1 foot and write result in corresponding box and Line 4 below.

**STEP 6:** As most 4 Valve V-Hull boats have their fwd baffle located on centerline, the valves located at the same location along both the port and starboard sides, these boats are SYMMETRICAL and the measurements from LINES 1-2 and LINES 3-4 would fit either PORT or STARBOARD sides. If this is the case you have now finished the measurement of your inflatable boat.

If your boat is NOT SYMMETRICAL, repeat STEPS 1- 5 for the opposite side and put your answers in LINES 5 - 9 for measurements of the STRBOARD/OTHER side which then become MEASUREMENTS E and F(AFT) and G and H (FWD) if needed on the following page. Use whichever additional measurements are needed for your boat and application. These dimensions relate directly to your InFlataSaver model numbers and ordering information.




**LINE 3:** \_\_\_\_\_

\*Dimension in FEET from MEASUREMENT C rounded up to the nearest whole foot.  
+ add 1 foot if measurement is to a baffle.

**LINE 4:** \_\_\_\_\_

\* Dimension in FEET from MEASUREMENT D rounded up to the nearest whole foot.  
+ add 1 foot if measurement is to a baffle.



**STEP 6:** Repeat **STEPS 1- 5** for the **opposite side** and put your answers in **LINES 5 - 8** which then become **MEASUREMENTS E** and **F(AFT)** and **G** and **H (FWD)** if needed.

**LINE 5:** \_\_\_\_\_

\*Dimension in FEET from **MEASUREMENT E** rounded up to the nearest whole foot

**LINE 6:** \_\_\_\_\_

\* Dimension in FEET from **MEASUREMENT F** rounded up to the nearest whole foot.

+ add 1 foot if measurement is to a baffle.

**LINE 7:** \_\_\_\_\_


\*Dimension in FEET from **MEASUREMENT G** rounded up to the nearest whole foot


+ add 1 foot if measurement is to a baffle.

**LINE 8:** \_\_\_\_\_

\* Dimension in FEET from **MEASUREMENT H** rounded up to the nearest whole foot.

+ add 1 foot if measurement is to a baffle.





The above diagram represents a 4 valve, or 3 valve converted to a 4 valve boat.  
Dimension 4E - 4H are used if non-symmetrical. If none equals SAME as PRT.